

Work Order ID 145996

Friday, May 06, 2016 8:56:57 AM

145996

Page 1

Item ID: D4281-3 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Spacer

Start Date: 5/2/2016 Start Qty: 20.00 ***20*** Cust Item ID:
 Required Date: 5/5/2016 Req'd Qty: 20.00 ***20*** Customer:

Reference: MAY 06 2016

Approvals: Process Plan: MCS Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4281	B

100 FLOW WATER JET 0.00

100

Waterjet

FLOW CNC Waterjet

Memo

1-Cut as per Dwg

Dwg Rev: B

Prog Rev: B

2-Deburr if necessary

3-OPEN HOLES ON DRILL PRESS AS PER DWG

110 QC2- Inspect parts off machine FAI/FAIB 0.00

110

QC

Quality Control

Memo

0.20

PR 16/06/17

18

DAS
14
9-89

16/07/11

18

PR

2016/06/17

DAS
14
9-89

16/07/11

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval				
Description Work Order Deviation				Disposition				Completed By			
Root Cause				FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : _____											

Friday, May 06, 2016 8:56:57 AM

Page 2

Reference:

Stop ***NR2***

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

130

130

Mill Conv

Conventional Milling Machine

Operation	Description
	Manufacture as per dwg

Memo

1- Face to size as per dwg
2- deburr

Set Up/ Run Hours

0.00

2.20

Tool ID	Tool #	Plan Code
---------	--------	-----------

**Accept
Qty**

18

Reject
Qty $\emptyset$

Reject Number

DAS
32
9-88

16-07-12

140

140

QC

Quality Control

QC8- Inspect parts - second check

Memo

0.00

0.40

150

150

HandFinish

Hand Finishing

Chemical Conversion Coat per QSI005 4.1

Memo

0.00

0,40

(18)

2016/07/13
BEB

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 145996

Friday, May 06, 2016 8:56:57 AM

145996

Page 3

Item ID: D4281-3 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Spacer
 Start Date: 5/2/2016 Start Qty: 20.00 ***20*** Cust Item ID:
 Required Date: 5/5/2016 Req'd Qty: 20.00 ***20*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 *160* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum <i>M 134 798</i> Memo POWDER COAT Start Time: <i>9:55</i> Oven Temperature: <i>320°</i> Finish Time: <i>10:25</i>	0.00 0.20							<i>18 6 16 07 03 23 23</i>
170 *170* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.20							<i>18</i> DAS 38 9-89
180 *180* Packaging Packaging	Identify as per dwg & Stock Location: <i>5690</i> Memo	0.00 0.20			DAS 6 9-89				<i>cul</i> <i>18</i> <i>Pe</i> JUL 15 2016 JUL 13 2016

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐	Power Loss/Surge ☐	☐	Positioned Wrong ☐	
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐	Folio/Program ☐	☐	Outside Dimensions ☐	
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐	Grain ☐	☐	Over/Under tolerance ☐	
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐	Weld ☐	☐	Part Incorrect ☐	
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐	Wrong Stock Pulled ☐	☐	Part Lost/Missing ☐	
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐	Out of Sequence ☐	☐	Part Moved ☐	
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐	Off-set ☐	☐	Drawing ☐	
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐	Mislabeled ☐	☐	Finish ☐	
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐	Fit/Function ☐	☐	Misread ☐	
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐	Misaligned/off center ☐	☐	Turning Sequence ☐	
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____							
Misidentified ☐	☐	Past Due ☐	☐								

Work Order ID 145996

Friday, May 06, 2016 8:56:57 AM

145996

Page 4

Item ID: D4281-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Spacer

Stop ***NS2***

Start Date: 5/2/2016

Start Qty: 20.00

20

Cust Item ID:

Required Date: 5/5/2016

Req'd Qty: 20.00

20

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

190

QC21- Final Inspection - Work Order Release

0.00

190

QC

Memo

2.00

DAS
21
9-89

JUL 14 2016

Quality Control

DAS
21
9-89

JUL 14 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
30. 4. 10.								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Picklist Print

Friday, May 06, 2016 8:56:57 AM

Page 1 / 1

Work Order ID: 145996

145996

Parent Item: D4281-3

D4281-3

Parent Item Name: Spacer

Start Date: 5/2/2016

Required Date: 5/5/2016

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP REV:A NEW ISSUE 11-07-11 JLM VERIFIED BY:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B0.750X02.00 0		Purchased		No			f	9.2500		3.494736			

M6061T6B0 750X02 000

05/16/16/18

6061-T6 Bar .750 x 2.00

Location

Loc Qty

Loc Code

MAT

9.25

m133038

9.25

3.4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER : _____				
Misidentified ☐	☐	Past Due ☐					


DART AEROSPACE LTD		Work Order: 145996
Description: Spacer		Part Number: D4281-3
Inspection Dwg: D4281	Rev: B	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.129	+0.005/-0.001	0.130	✓		De-02	
Ø0.250	+0.005/-0.001	0.248	✓			
0.88	+/-0.030	0.873	✓			
0.063	+/-0.010	0.061	✓			
0.440	+/-0.010	0.445	✓			
0.760	+/-0.010	0.763	✓			
0.500	+/-0.010	0.498	✓			
0.900	+/-0.010	0.900	✓			
0.88	+/-0.030	0.890	✓			
1.13	+/-0.030	1.13	✓			
1.65	+/-0.030	1.642	✓			
0.125	+/-0.010	0.125	✓			
0.89	+/-0.030	0.890	✓			
2.00	+/-0.030	1.995	✓			
0.735	+/-0.010	0.735	✓			

Measured by: PR ^{DAS} 19/6/07 Date: 16/06/17	Audited by: SL Date: 16-7-12	Preliminary Approval: Date:
--	---	--

Rev	Date	Change	Revised by	Approved
A	11.08.22	New Issue	KJ	



D4281-1 SPACER



D4281-3 SPACER 

1. ☐ ORIGINAL COPY
 2. ☐ SENT TO
 3. ☐ RETURNING
 4. ☐ RECORDED COPY
 5. ☐ RETURNED COPY
 6. ☐ RETURNED COPY
 7. ☐ RETURNED COPY
 8. ☐ RETURNED COPY
 9. ☐ RETURNED COPY
 10. ☐ RETURNED COPY
 11. ☐ RETURNED COPY
 12. ☐ RETURNED COPY
 13. ☐ RETURNED COPY
 14. ☐ RETURNED COPY
 15. ☐ RETURNED COPY
 16. ☐ RETURNED COPY
 17. ☐ RETURNED COPY
 18. ☐ RETURNED COPY
 19. ☐ RETURNED COPY
 20. ☐ RETURNED COPY
 21. ☐ RETURNED COPY
 22. ☐ RETURNED COPY
 23. ☐ RETURNED COPY
 24. ☐ RETURNED COPY
 25. ☐ RETURNED COPY
 26. ☐ RETURNED COPY
 27. ☐ RETURNED COPY
 28. ☐ RETURNED COPY
 29. ☐ RETURNED COPY
 30. ☐ RETURNED COPY
 31. ☐ RETURNED COPY
 32. ☐ RETURNED COPY
 33. ☐ RETURNED COPY
 34. ☐ RETURNED COPY
 35. ☐ RETURNED COPY
 36. ☐ RETURNED COPY
 37. ☐ RETURNED COPY
 38. ☐ RETURNED COPY
 39. ☐ RETURNED COPY
 40. ☐ RETURNED COPY
 41. ☐ RETURNED COPY
 42. ☐ RETURNED COPY
 43. ☐ RETURNED COPY
 44. ☐ RETURNED COPY
 45. ☐ RETURNED COPY
 46. ☐ RETURNED COPY
 47. ☐ RETURNED COPY
 48. ☐ RETURNED COPY
 49. ☐ RETURNED COPY
 50. ☐ RETURNED COPY
 51. ☐ RETURNED COPY
 52. ☐ RETURNED COPY
 53. ☐ RETURNED COPY
 54. ☐ RETURNED COPY
 55. ☐ RETURNED COPY
 56. ☐ RETURNED COPY
 57. ☐ RETURNED COPY
 58. ☐ RETURNED COPY
 59. ☐ RETURNED COPY
 60. ☐ RETURNED COPY
 61. ☐ RETURNED COPY
 62. ☐ RETURNED COPY
 63. ☐ RETURNED COPY
 64. ☐ RETURNED COPY
 65. ☐ RETURNED COPY
 66. ☐ RETURNED COPY
 67. ☐ RETURNED COPY
 68. ☐ RETURNED COPY
 69. ☐ RETURNED COPY
 70. ☐ RETURNED COPY
 71. ☐ RETURNED COPY
 72. ☐ RETURNED COPY
 73. ☐ RETURNED COPY
 74. ☐ RETURNED COPY
 75. ☐ RETURNED COPY
 76. ☐ RETURNED COPY
 77. ☐ RETURNED COPY
 78. ☐ RETURNED COPY
 79. ☐ RETURNED COPY
 80. ☐ RETURNED COPY
 81. ☐ RETURNED COPY
 82. ☐ RETURNED COPY
 83. ☐ RETURNED COPY
 84. ☐ RETURNED COPY
 85. ☐ RETURNED COPY
 86. ☐ RETURNED COPY
 87. ☐ RETURNED COPY
 88. ☐ RETURNED COPY
 89. ☐ RETURNED COPY
 90. ☐ RETURNED COPY
 91. ☐ RETURNED COPY
 92. ☐ RETURNED COPY
 93. ☐ RETURNED COPY
 94. ☐ RETURNED COPY
 95. ☐ RETURNED COPY
 96. ☐ RETURNED COPY
 97. ☐ RETURNED COPY
 98. ☐ RETURNED COPY
 99. ☐ RETURNED COPY
 100. ☐ RETURNED COPY


145996 MJS
160506

RELEASED
2011-07-28



NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT -1: 0.34 lbs
-3: 0.15 lbs


B	ADDED SHT 2, ADDED -3	AJS	11.07.04
A	NEW ISSUE	SC	10.11.25
REV.	DESCRIPTION		BY DATE
DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG: APPR.	<i>[Signature]</i>	D4281	SHEET 1 OF 2
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SPACER	NTS
DATE	11.07.04	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS NOT TO BE REPRODUCED IN ANY MANNER OR FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	



D4281-1 SPACER



D4281-3 SPACER



RELEASED
2011-07-28

DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4281	REV. B SHEET 2 OF 2
MFG. APPR.	<i>[Signature]</i>	TITLE SPACER	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. ANY DISCLOSURE OR REPRODUCTION OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD IS PROHIBITED.	
DATE	11.07.04		